



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



UM-3709-98 1998 Chevrolet C-1500

In-depth Vehicle Occupant Report

The University
of Michigan
Transportation
Research Institute

S-UMIVOR



DISCLAIMERS

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no responsibility for the contents or use thereof.

The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of the National Highway Traffic Safety Administration.

The crash investigation process is an inexact science which requires that physical evidence such as skid marks, vehicular damage measurements, and occupant contact points are coupled with the investigator's expert knowledge and experience of vehicle dynamics and occupant kinematics in order to determine the pre-crash, crash, and post-crash movements of involved vehicles and occupants.

Because each crash is a unique sequence of events, generalized conclusions cannot be made concerning the crashworthiness performance of the involved vehicle(s) or their safety systems.

UM-3709-98

Case Vehicle (A): 1998 Chevrolet

Type: C-1500, pickup Driver: 48-year-old male

CDC: 01-FZEW-2

Vehicle (B): 1996 Buick Type: Century, 4-door sedan Driver: 84-year-old female

CDC: 99-0000-0

Situation

(Slide 1) Case vehicle (A) was traveling through a 4-leg intersection, in the westbound lane of a straight section of a dry, concrete, two-lane roadway, (slide 2) with a posted speed of 55 mph. Vehicle (B) was traveling in the southbound lane of the intersecting gravel roadway, and entered the intersection, reportedly without yielding the right-of-way. The front of case vehicle (A) struck the left side of vehicle (B). Case vehicle (A) rotated counterclockwise coming to rest in the intersection. Vehicle (B) rotated clockwise and came to rest straddling the east and west travel lanes.

Using the WinSMASH accident-reconstruction program and (slides 3, 4, 5, 6, 7) c-values for case vehicle (A), the following impact severity was calculated:

		Calculated Velocity Change - kph (mph		
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	EBS	26 (17)	-26 (-16)	-9 (-6)

Exterior Damage

(Slides 8, 9, 10, 11, 12) Damage to case vehicle (A) was moderate. Direct-damage length was 73 cm and began at the right front bumper corner. Maximum crush was 51 cm and occurred at the right bumper corner. The right-front wheel was displaced approximately 17 cm rearward. The front bumper, right headlight assembly, radiator, and both fenders were damaged. The hood was damaged, and the hood latch released. The right hood hinge was damaged, but the rear edge of the hood was not elevated. The right upper and lower A-pillars were damaged. The windshield was in place, but the windshield exhibited stress cracks in the lower right corner.

Interior Damage

(Slides 13, 14, 15, 16) This vehicle was equipped with both steering-wheel airbag and passenger frontal impact airbags, which deployed on impact. (Slides 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29) There was minor damage to the interior of the vehicle. The steering-wheel rim was not deformed. The right upper A-pillar was deformed slightly. The steering-column had a scuff mark on the left side. The knee bolster and middle and right instrument panel appeared to have been contacted by the occupants, but were not damaged. The knee bolster cover had been removed after the accident. No damage was noted to the front or back of the knee bolster cover and no movement of the shear capsules was noted. No intrusions were noted.

Occupant Injuries and Kinematics

(Slide 30) The 48-year-old male driver was reportedly wearing the available three-point belt, although there were no loading marks on the D-ring. On impact, he moved forward into the belt restraints and deploying airbag. He sustained abrasions to the nose, left and right cheeks, and chin from contact by the deploying airbag. (Slides 31, 32, 33) Scuff marks were noted to the left side of the steering column, the center-left knee bolster, and middle instrument panel, but no associated injuries were reported.

(Slide 34) The 49-year-old male right-front passenger was reportedly wearing the available three-point belt, although there were no loading marks on the D-ring. On impact, he moved forward into the belt restraints and deploying airbag. He sustained abrasions and contusions to the lower abdomen, probably from contact by the airbag, but possibly from the lap belt. He sustained abrasions and contusions to the left and right anterior and medial thighs, probably from contact by the deploying airbag. (Slides 35, 36, 37) Scuff marks were noted to the center-left side of the middle instrument panel, the right upper instrument panel, and right corner of the instrument panel, but no associated injuries were reported.

(Slides 38, 39) The attached tables summarize the injuries sustained by the driver and right-front passenger.

Occupant: Driver Restraints: 3-point restraint worn; airbag deployed

Age: 48 years Stature: 180 cm (5 ft 11 in)

Sex: Male Mass: 73 kg (160 lb)

			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Abrasion on nose	1	Airbag		
Abrasion on left cheek	1	Airbag		,
Abrasion on right cheek	1	Airbag		
Abrasion on chin	1	Airbag		
		·		
				·
Maximum A.I.S. Level	1			
Injury Severity Score	1			

Occupant: Right front Restraints: 3-point restraint worn; airbag deployed

Age: 49 years Stature: 173 cm (5 ft 8 in)

Sex: Male Mass: 91 kg (200 lb)

			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Abrasion over lower stomach	1		Airbag	Lap belt
Contusion over lower stomach	1		Airbag	Lap belt
Abrasion on left thigh	1	1	Airbag	
Contusion on left thigh	1		Airbag	
Abrasion on right thigh	1		Airbag	
Contusion on right thigh	1		Airbag	
Maximum A.I.S. Level	<u>1</u>			
Injury Severity Score	1			

VERSION 05 - 1996 ADMINISTRATIVE AD-1 NO. OF CASE VEHICLES IN ACCIDENT **TEAM CODE** NUMBER OF SLIDES **ACCIDENT ID TEAM REPORT NUMBER VEHICLE NUMBER** <u>um-3709-98</u> MODULE **FORMAT** FORM VERSION <u>5</u> **SPECIAL STUDY** (00) None (01) Offset Frontal (98) Not Applicable


DATE OF FIELD INVESTIGATION: 1,28 INVESTIGATOR: LOCATION WHERE VEHICLE WAS EVALUATED:
CIRCLE PHOTO RECORDS MADE:
NEGATIVES
POLAROIDS REPORT PREPARED BY:

		DC	ST AVAILABL
Duplicate columns 1-8 Module G Format _ from the previous card. 9 10 1	1 12	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION HOUR OF COLLISION (24 HOUR CLOCK) LOCATION STATE: STATE FIPS CODE AREA (1) URBAN (2) RURAL (9) UNKNOWN ENVIRONMENTAL CONDITIONS	26 22 23 24 22 23	ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE (0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT VERTICAL PLANE (1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN ROAD ALIGNMENT HORIZONTAL PLANE (1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER: (9) UNKNOWN SURFACE COVERING	Q 31
LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE) (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN	Q x 2	(10) DRY (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN (31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER: (99) UNKNOWN VISIBILITY LIMITATION (FOR CASE VEHICLE)	
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (B) NOT APPLICABLE TYPE OF ROAD SURFACE (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN	2 23 23	(0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN VISIBILITY OBSTRUCTION (FOR CASE VEHICLE) (0) NONE (1) BUILDING	<u>Ø</u>
ROAD DEFECTS (0) NO (1) YES (9) UNKNOWN	<u>Ø</u>	(2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	

		GENERAL IN	NFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	<u>6</u>	MECHANICAL MALFUNC WAS THERE MENTION OF A MECHANICAL MA IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTE TO ACCIDENT (9) UNKNOWN	LFUNCTION
PRECIPITATION . (0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER:	<u>Ø</u>	THE FOLLOWING SECTION SHO OUT IF A MECHANICAL MALFUN RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUP. ITEMS CIRCLED WITH COMMEN	ICTION IS PORT ANY ITS.
RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN	8/40	BRAKE SYSTEM EXHAUST SYSTEM STEERING SYSTEM SUSPENSION SYSTEM ELECTRICAL SYSTEM	POWER TRAIN FUEL SYSTEM VISIBILITY ITEMS TIRES
TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6 5 TO 22 (2) -5 TO -1 23 TO 31 (3) 0 TO 2 32 TO 36 (4) 3 TO 5 37 TO 41 (5) 6 TO 15 42 TO 59 (6) 16 TO 25 60 TO 77 (7) 26 TO 35 78 TO 95 (8) OVER 35 OVER 96 (9) UNKNOWN	9	THROTTLE CONTROLS OTHER:	
CROSSWIND (0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS	9 =		
(1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	43		

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN CASE VEHICLE ROLLOVER (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT	⊕ 45 ⊕ 46	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	3
(3) YES, SEQUENCE UNKNOWN (9) UNKNOWN CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN	<u></u>	DRIVER IMPAIRMENT DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	<u>Q</u>
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN	48	DRIVER ALCOHOL BAC (CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	. \(\frac{\gamma}{\sigma} \overline{\Q}_{\sigma} \)
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>*</u>	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	<u>Ø</u>
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>Ф</u>	LIST IMPAIRMENTS MENTIO	NED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN	51	Post - Crash Detail MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u><u>s</u>2</u>	(1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	2 50

ACCIDENT DESCRIPTION: Case vehicle (A) was traveling through a 4-leg CASE VEHICLE (A): 1998 Cherrolet C-1500 P/V on Intersection, in the westbound lane of a straight section of roadway. OTHER VEHICLE (B): 1996 Buick Centry 4-door be Vehicle (B) was traveling in the southbound lane of the inter
Secting gravel roadway and entered the intersection, reportedly without yielding the right of way. The front of Case vehicle (A) struck the left side of vehicle (B). Case vehicle (A) rotated counterclockwise coming to rest in the intersection. Vehicle (B) rotated Clockwise and NORTH



Duplicate columns 1-8 from the previous card. Module O V Format 0 1 1 12	OTHER VE	EHICLE OV-1
MAKE: Buick MODEL: Century 4-door see	CARGO: UNK	
VIN 1 G 4 A G 5 5 M 0	TE	29
MANUFAC/BODY CODE MAKE/MODEL CODE MODEL YEAR 1 9 9 6 VEHICLE MASS (kg) 0 0 1 3 8 3 IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) (000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	VEHICLE TYPE PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEH (24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT (28) INTERMEDIATE (29) FULL MULTIPURPOSE PASSENGER VEHICI (14) SMALL UTILITY (MHEELBASE LES E.G. JEEP, BRONCO) (15) LARGE UTILITY (MHEELBASE MO) E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL (21) MOTOR HOME (22) PICKUP CAR WITH CANOPY/SHELL (23) PICKUP CAR WITH SLIDE-IN CA (23) PICKUP CAR WITH SLIDE-IN CAMPER TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUC (16) PICKUP TRUCK WITH SLIDE-IN CA (27) PICKUP TRUCK WITH SLIDE-IN CA (28) UNKNOWN LIGHT TRUCK (19) LARGE UTILITY (E.G. PANEL TRUC (29) PICKUP TRUCK WITH SLIDE-IN CA (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER	LE SS THAN 107°, RE THAN 107°, WELL COVER LOVER LER R
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SI (39) TRUCK (OR SEMI) & FULL TRAILI BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS) (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER (99) UNKNOWN WHEELBASE (CT) (999) UNKNOWN	EMI) ER(S)

Duplicate columns 1-8 from the previous card.

OTHER VEHICLE

OV-2

Wheelbase

Front Overhang

Curb Weight

Rear Overhang

Average Track Width
$$\frac{1}{13} \frac{4}{8} \frac{7}{6}$$
 cm

Undeformed End Width (UEW)

Overall Length


$$\frac{4}{16} \frac{8}{2} \frac{6}{2} \text{ cm}$$


Engine Displacement


Overall Width (OAW)


Engine: # of Cylinders

VEHICLE DAMAGE









FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

Front-End Overlap (Percent) = DDL UEW


Vehicle Overlap (Percent) = <u>DDL + 1/2 (OAW - UEW)</u> OAW

Duplicate columns 1-8 Module V D Format 0 1 from the previous card.	VEHICLE DESCRIPTION VI	D-1
MAKE: Chevrolet MODEL: C-1500	CARGO: None	
VIN LGCECLYW	18WZ	29
MANUFAC/BODY CODE $\frac{1}{30}$ $\frac{12}{3}$	STOLEN VEHICLE	
MAKE/MODEL CODE $\frac{290}{2}$	(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	<u>8</u> 60 .
MODEL YEAR 1 9 9 8	(3) SHALOWIN	
VEHICLE MASS (kg) 0 0 1 4 4 4 6 7 7 9 9 1 1 1 1 1 1 1 1 1 1	BODY STRUCTURE (1) BODY & FRAME (2) UNITIZED (3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME	61
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) 999	(E.G. VW BUG) (5) PARTIALLY UNITIZED (7) OTHER: (9) UNKNOWN	
TRAVELING SPEED (km/h) (000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRANSMISSION (0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN	2
VEHICLE TYPE PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR) (13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH. :	LOCATION OF TRANSMISSION SELECTOR LEVER (1) FLOOR (2) CONSOLE (3) COLUMN (7) OTHER: (9) UNKNOWN	63
(19) PASSENGER VEHICLE, TYPE UNKNOWN MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO) (22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	STEERING (1) POWER (2) MANUAL (9) UNKNOWN	<u>l</u>
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED) (33) PICKUP TRUCK, LARGE (99) UNKNOWN	BRAKES (1) POWER (2) MANUAL (9) UNKNOWN	65

·		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	-66	WHEELBASE (cm) (999) Unknown
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	2 67 8	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN DUAL REAR WHEELS (0) NO		FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY <u>OUT-LINING NEW PERIMETER</u> OF VEHICLE AND <u>SHADING THE DAMAGED AREAS</u> ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT
(1) YES (9) UNKNOWN ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	3	OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (6) OTHER:	<u>√</u> 72 <u>↓</u> 73	ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)

Duplicate columns 1-8 from the previous card.	Module V D Format 0 2 11 12	VEHICLE D	ESCRIPTION VD-3
	ORIGINAL	SPECIFICATIONS	man
Wheelbase	298 cm	Front Overhang	4 7 2 cm
Curb Weight	<u> 1948</u> kg	Rear Overhang	$\frac{2}{25} \underbrace{\varphi}_{27}^{24} \text{cm}$
Average Track Width	$\frac{1}{13} \frac{6}{15} \text{ cm}$	Undeformed End Width (UEW)	100
Overall Length	<u>49</u> 4 cm	Engine Displacement	<u>4</u> .3
Overall Width (OAW)	1 9 5	Engine: # of Cylinders	$\mathcal{O}(\mathcal{O})$

VEHICLE DAMAGE



FRONTAL CRASH OVERLAP Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Front-End Overlap (Percent) = DDL UEW Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW) OAW FRONTAL CRASH OVERLAP Direct Damage Length (DDL) 35 7 37 cm 4 1 % Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW) OAW

Duplicate columns 1-8 Module D // from the previous card.	A Format 0 2	DAMAGE DA-1
PRIMARY .	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER		
IMPACT SPEED (km/h)	$\frac{999}{14}$	$\frac{9}{35} \frac{9}{36} \frac{9}{37}$
ESTIMATED BY	\frac{1}{17}	38
CRUSH (cm)	$\underbrace{\mathcal{O}}_{18}\underbrace{5}_{19}\underbrace{1}_{20}$	999
CDC #1	QI.FZEW.Z	$\frac{99}{4}.\underline{00000}.\underline{0}$
CDC #2	<u>9</u> 8.00000.0	$\frac{9}{4} \frac{8}{8} \cdot \cancel{Q} \cancel{Q} \cancel{Q} \cancel{Q} \cdot \cancel{Q}$
Duplicate columns 1-8 from the previous card. Module D 9 10 SECONDARY	A Format 0 3 0 11 12 CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	8	
IMPACT SPEED (km/h)	14 15 16	35 36 37
ESTIMATED BY	17	38 .
CRUSH (cm)	18 19 20	39 40 41
CDC #1	21	42
CDC #2	28 34	49
Codes		
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABI (9) UNKNOWN	(2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
IMPACT SPEED	(4) "CRASH" PROGRAM	

DAMAGE DA-2 Module D A Format 0 1 Duplicate columns 1-8 from the previous card. MAXIMUM SHEET METAL CRUSH (cm) (999) UNKNOWN **FRONT** RIGHT SIDE REAR LEFT SIDE **ROOF OTHER** CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER? NOTE: IF CHRONOLOGICAL ORDER IS UNKNOWN, EVENT ORDER IS OPTIONAL. (0) NO (1) YES EVENT NUMBER **IMPACT OBJECT/VEHICLE** IMPACT LOCATION CONFIGURATION CONTACTED (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE FOR CODES. SEE TABLE FOR CODES, SEE TABLE ON PAGE DA-3. ON PAGE DA-4. (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN #1 32 #2 37 #3 42 47 #5 52 #6 #7 62

DA-3 DAMAGE

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T) (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

DAMAGE DA-4

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT (00)
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- OTHER (DESCRIBE) (98)
- (99) UNKNOWN

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

SUB-MINI < 2286 mm (< 90°) 2286 - 2412 mm (90° - 94.9°) MINI SUB-COMPACT 2413 - 2539 mm (95° - 99.9°) COMPACT 2540 - 2666 mm (100° - 104.9°) INTERMEDIATE 2667 - 2793 mm (105° - 109.9°) 2794 - 2920 mm (#10° - 114.9°) FULL 2921 - 3174 mm (115" - 124.9") LARGE

LIMOUSINE > 3175 mm (> 125°)

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107°, E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107°. E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SUDE-IN CAMPER
- (23) PICKUP CAR WITH SUDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN)
- (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

RUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 œ
- (52) 76 125 ∞
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 €
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER) (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE...
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION
- (91) GUARD RAIL, MIDDLE OR UNKNOWN
- (92) GUARD RAIL, TRAILING SECTION (93) GUARD POST (TIMBER, METAL, CONCRETE)
- (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8 from the previous card. Module C R 9 10	Format <u>0</u> <u>1</u>		H RECONSTRUCT r av	TION CR-
	CASE VEHICLE F	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13	·	47	
ΔV (km/h) TOTAL	$\frac{9}{14} \frac{9}{15} \frac{9}{16}$	9 9 3	48 49 50	66 67 68
LONGITUDINAL*	999	$\frac{9}{35} - \frac{9}{9} = \frac{9}{38}$	51 54	69
LATERAL*	9999	7999		
NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>:</u> <u>0</u> <u>0</u> <u>7</u>				
ENERGY DISSIPATED BY CRUSH (kj)	$\frac{9999}{25} - \frac{9}{28}$	9999	59 62	77
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	12			
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED		-		
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	31		65	
COMPUTER PROGRAM SPECIFY:				

Duplicate columns 1-8 Module C F from the previous card. 9 10	Format 0 2		H RECONSTRUCTERS	TION CR-2
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SE	
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	•
EBS (km/h) TOTAL	$Q_{\frac{1}{14}} = \frac{7}{15}$	999	48 49 50	66 67 68
LONGITUDINAL	<u>-026</u>	999	51 54	69 72
LATERAL*	$\frac{2}{21}$	999	55 58	73 - 76
NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	21 24	39 4 2	. 35 3	,,
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>:</u> <u>0</u> <u>0</u> <u>7</u>				
ENERGY DISSIPATED BY CRUSH (kj)	<u>0</u> <u>0</u> <u>7</u> <u>3</u>	9999	59 62	77 - 80
RECONSTRUCTION	72606			
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	39			
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64	
NOT RECONSTRUCTED BECAUSE				_
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE		·		·
BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	<u>2</u>		6 5	
COMPUTER PROGRAM SPECIFY:				

Module <u>C</u> <u>R</u> Format <u>0</u> <u>3</u> CRASH RECONSTRUCTION CR-3 **Duplicate columns 1-8** from the previous card. NOTES: 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS. CASE VEHICLE 2. MEASURE C_1 TO C_6 FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS. LOCATOR 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG. 4. USE THE CENTER OF THE WHEELBASE AS THE CG. Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts. Specific Impact No. **Location of Direct Damage** Location of Field L Bumper Corner C6 **C**5 C4 PLANE: C2 (1) Bumper (2) Above Bumper C1 (3) Sill (4) Above Sill (5) Other_ (9) Unknown **CRUSH PROFILE IN CENTIMETERS** NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line. Specific Plane Direct Damage C_2 C_3 C_4 C₅ Impact of Impact Length Max Field ±D C_6 Number C-Measur. (DDL) Crush 60 +53.5 30 Bunger -Freespass 0 Ø 29 1 051 60 0000000011029 13 2

NOTE: S. PENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS 2. MEASURE C, TO C, FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR MANCETS, REAR TO PRIOR TO SIDE MANCETS. 3. D IS POSTITE MEMBLIABED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG. 4. USE THE CENTER OF THE WHEELBASE AS THE CG. Location of Direct Damage Location of Field L PLANE: (1) Bumper (2) Above Bumper (3) Sill (4) Above Sill (5) Other (9) Unknown CRUSH PROFILE IN CENTIMETERS NOTE: Each line in the table below is a separative record (card). Duplicate columns 1 - 12 for each completed line. Specific Impact of Impact Of Impact Of Impact Of Impact Length Max Field C1 C2 C3 C4 C5 C6 ±D 1 15 16 17 16 19 20 2 12 22 3 124 25 26 127 28 39 180 31 22 33 34 35 36 39 39 40 41 42 43 44 45		columns 1-8 previous card.	Module <u>C</u>	B Format	0 4		CF	RASH R	ECONS	TRUCTI	ON	CR-4
PLANE: (1) Bumper (2) Above Bumper (3) Sill (4) Above Sill (5) Other (9) Unknown CRUSH PROFILE IN CENTIMETERS NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line. Specific Plane Direct Damage Length Max Of Impact Of Impact C-Measur. (DDL) Crush Field C1 C2 C3 C4 C5 C6 ±D		2. MEASUH IMPACTS 3. D IS POS 4. USE THI	RE C ₁ TO C ₆ FF S, REAR TO FR SITIVE IF MEAS E CENTER OF T	ROM DRIVER TO DNT IN SIDE IM URED TO A PO THE WHEELBAS	O PASSENGE PACTS. HINT FORWAF SE AS THE C	ER SIDE IN F RD OF OR TO G.	FRONT OR	REAR HT OF THE		LC	CATOR	
PLANE: (1) Bumper (2) Above Bumper (3) Sill (4) Above Sill (5) Other (9) Unknown NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line. Specific Plane of Impact C-Measur. Plane Direct Damage Length Max (DDL) Crush L C-Measur. 1 1 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45	Specific	Impact No.	L	ocation of D	irect Dan	nage			Locati	on of Fie	eld L	
PLANE: (1) Bumper (2) Above Bumper (3) Sill (4) Above Sill (5) Other (9) Unknown NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line. Specific Plane of Impact C-Measur. Plane Direct Damage Length Max (DDL) Crush L C-Measur. 1 1 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45												
PLANE: (1) Bumper (2) Above Bumper (3) Sill (4) Above Sill (5) Other (9) Unknown NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line. Specific Plane of Impact C-Measur. Plane Direct Damage Length Max (DDL) Crush L C-Measur. 1 1 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45												
PLANE: (1) Bumper (2) Above Bumper (3) Sill (4) Above Sill (5) Other (9) Unknown NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line. Specific Plane of Impact C-Measur. Plane Direct Damage Length Max (DDL) Crush L C-Measur. 1 1 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45												
Specific Impact Number Plane of Impact C-Measur. Plane (DDL) Max (DDL) Field L C1 C2 C3 C4 C5 C6 ±D		NE: (1) Bumper (2) Above Bump (3) Sill (4) Above Sill (5) Other (9) Unknown	per	CRUSH	S C C C C PROFILE	IN CEN	TIMETE	ERS blicate colu	UDL		complete	i line.
1 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45	Impact	Plane of Impact	Direct Length	Damage Max								
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45	Number	C-Measur.	(DDL)	Crush	<u> </u>							
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45											·	
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45												
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45												
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45					·							
	1											
	13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
				!								
	-											
2	2											

Duplicate columns 1-8 Module W T Format from the previous card. 9 10	0 1	WHEELS AND TIRES WT-1
WHEELSDAMAGED LF (0) NO RF (1) YES (9) UNKNOWN RF		SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF \(\frac{P}{23} \) \(\frac{5}{5} \) \(\frac{15}{5} \) RF \(\frac{P}{23} \) \(\frac{5}{5} \) \(\frac{5}{5} \) RR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{5}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{7}{5} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{7}{5} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{7}{5} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{7}{5} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{7}{5} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{7}{5} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{7}{5} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \) \(\frac{3}{5} \) \(\frac{7}{5} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \) \(\frac{1}{5} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \) \(\frac{1}{5} \) LR \(\frac{P}{2} \
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN LR	4 4 u	LR L D J / J N ' D _
CARCASS CONSTRUCTION (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN LR	3	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:		·

Duplicate columns 1-8 Module F T Format 0 11 11	FUEL AND FUEL TANKS FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN
MAIN TANK LOCATION	$\frac{2}{16}$ AUXILIARY TANK LOCATION $\frac{88}{22}$
MAIN FILLER CAP LOCATION	$\frac{3}{19}$ AUXILIARY FILLER CAP LOCATION $\frac{3}{25}$
MAIN TANK MATERIAL	AUXILIARY TANK MATERIAL $\frac{8}{28}$

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Duplicate columns 1-8 from the previous card. Module <u>F</u> <u>L</u> Format <u>0</u> <u>1</u> 12

FUEL LEAKAGE

FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.



	1	11	111	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15	_		_		21
#2	22 23	_	_			29
#3	30 31		_			37
#4	38 39		 :	_		45
#5	46 47					53

LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT. COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P. BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D. DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C. CENTER
- (3) R, RIGHT
- (4) Y. LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D. DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format 0 from the previous card. 9 10 11	1 12	FIRE	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP PAC</u> (1) YES <u>COMPLE</u>	3 E .	CASE VEHICLE?	
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 from the previous card.	Module _E	D Format	0 1	EXTERIOR DAMAGE	ED-	1
HOOD PERFORMAN	CE			STEERING COL FLEXIBLE COUPL	_ING	
FOR THE FOLLOWING, (0) NO (1) YES (8) NOT APPLICABI (9) UNKNOWN		DES:		(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE	. <u>9</u>	<u>)</u> 5
HOOD LATCH(ES)-		-RELEASED	13	(CIRCLE EACH) (7) OTHER: (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED		
		-DAMAGED	14	COUPLINGDAM.	AGED 9	,
		JAMMED	15	(USE CODES FROM HOOD PERFORMANCE) -SEPA	ARATED 9	, -
HOOD HINGES-	-LEFT,	DAMAGED	Ø	СОМ	PLETE) 28	3
	-LEFT,	SEPARATED (COMPLETE)	9 16 17			
•	RIGHT,	DAMAGED		ENG COMPART TELESCOPING U	NIT	
-	RIGHT,	SEPARATED (COMPLETE)	Q	TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED	8 2	8 30
HOOD REMAINED ON V	EHICLE		20	(97) OTHER:	N	
REAR EDGE OF HOOD-		-ELEVATED	<u></u>	ORIGINAL LENGTH (mm)		
-CON	TACTED	WINDSHIELD	$\underline{\mathcal{O}}$	F (OR H):		
-PENI	ETRATED	WINDSHIELD		TELESCOPED LENGTH (mm)		
HOOD LATCH LOCATION	N					
(1) FRONT OF VEHI	CLE			DIFFERENCE (mm)		
(2) COWL AREA (3) SIDE (8) NOT APPLICABL (9) UNKNOWN	E .		24	F (OR H) - G (IF LESS THAN 15mm, ENTER *000*.)		
ENGINE OR TRANSM SEPARATION (COMPLE (0) NO (1) YES (9) UNKNOWN		Моинт	<u>Q</u>	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8	8 33

LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN LEFT PILLARS PILLARS SEPARATED COMPLETELY USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (6) NOT APPLICABLE (NOT EQUIPPED) (7) OPENED, REASON UNKNOWN LOWER LOWER -A-PILLAR, UPPER LOWER -B-PILLAR, UPPER LOWER -C-PILLAR, UPPER LOWER LOWER -C-PILLAR, UPPER LOWER LOWER -C-PILLAR, UPPER LOWER LOWER LOWER -C-PILLAR, UPPER LOWER LOWER -C-PILLAR, UPPER LOWER LOWER -C-PILLAR, UPPER -C-PILLAR, U			EXTERIOR DAMAGE	E	ED-2
-C-PILLAR, UPPER LOWER LOWER -D-PILLAR, UPPER -C-PILLAR, UPPER	DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN -A-PILLAR, UPPER LOWER		LEFT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN DOORS JAMMED CLOSED- USE CODES:	-FRONT	Q_{43}
-D-PILLAR, UPPER S	-C-PILLAR, UPPER		(1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	-FRONT	Ø 45
LOWER &	-D-PILLAR, UPPER	g		-REAR	8 46

		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING	P	WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	8 50
TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN		SPARE TIRE (0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN	8 51
Hatchback One-way		COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED (9) UNKNOWN	
Two-way or or		TRAILER HITCH TYPE (0) NO HITCH	Ø
Clamshell Single door		BALL-AND-SOCKET TYPES (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING	52
Double door		OTHER TYPES (5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL. P/U)	
HOW DID DOOR OPEN DURING COLLISION? (0) DOOR DID NOT OPEN OPENED BECAUSE OF	S	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED	
(1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN		TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	<u>Ø</u>
DOOR JAMMED CLOSED (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	₽		


		EXTERIOR DAMAGE E	D-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	Q _s	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	4 55 4 56	(98) NOT APPLICABLE (NO DOOR) (99) UNKNOWN -FRONT	<u> </u>
-B-PILLAR, UPPER	<u>Ø</u>		65 66
LOWER	<u>✓</u> 58	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES	
-C-PILLAR, UPPER	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN -FRONT	<u>Ø</u>
LOWER	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	-REAR	67 8 68
-D-PILLAR, UPPER	<u>D</u>	VAN REAR DOOR TYPE	8
LOWER	<u>e</u>	(0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	<u>Ø</u>

WINDSHIELD DAMAGE WINDSHIELD CRACKED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN WINDSHIELD BROKEN (1) YES (8) NOT APPLICABLE (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (1) YES (1) INS (1) INS (1) INS (1) INS (1) INS (1) INS (2) INNOWN EXTENT OF BOND SEPARATION (1) NO- (1) INS (2) II - 60 (3) II - 60 (4) II - 60 (5) II - 60 (5) II - 60 (6) II - 60 (7) II - 60 (8) II - 60 (9) II - 60 (9			EXTERIOR DAMAGE	ED-5
(O) NO (1) YES (S) DINKNOWN WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (O) NO (1) YES (S) NOT APPLICABLE (9) DINKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (O) NO (1) YES (S) NOT APPLICABLE (9) DINKNOWN EXTENT OF BOND SEPARATION (O) NONE (S) S1 - 80 (1) 1 - 20% (2) 21 - 40 (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) S1 - 99 (6) TOTA (7) SEPRATED, AMOUNT (7) SEPRATED, AMOUNT (8) NOT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	WINDSHIELD DAMAGE		WINDSHIELD MARK ON CASE VEHIC	LE:
(9) UNKNOWN WINDSHIELD BROKEN (FLASTIC INTERLAYER TORN) (O) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (O) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (0) NONE (2) 21 - 40 (2) 21 - 40 (2) 31 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTA (7) SEPARATED AMOUNT (7) SEPARATED AMOUNT (7) SEPARATED AMOUNT (8) NOT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	WINDSHIELD CRACKED			
(B) NOT APPLICABLE (S) UNKNOWN WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (O) NO (1) YES (B) NOT APPLICABLE (B) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (O) NO (1) YES (B) MOT APPLICABLE (B) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (D) NO (1) YES (B) MOT APPLICABLE (B) UNKNOWN (E) NOT APPLICABLE (B) UNKNOWN (E) HOR APPLICABLE (B) UNKNOWN (E) NOT APPLICABLE (F) NOT APPLICABLE (F) UNKNOWN (E) NOT APPLICABLE (F) UNKNOWN (F) NOT APPLICABLE (F) NOT APPLICABLE (F) NOT APPLICABLE (F) UNKNOWN (F)		1 7		
WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (1) 1-20% (1) 1-20% (2) 21-40 (3) 41-60 (3) 41-60 (9) IOTA (3) 41-60 (9) IOTA (1) 1-20% (1) 1-20% (1) 1-20% (2) 10 NO (2) IOTA (3) 10 NO (3) NO (4) 61-93 (9) IOTA (5) SEPARATED, AMOUNT UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	(8) NOT APPLICABLE	,,		
(PLASTIC INTERLAYER TORN) (O) NO (1) YES (B) NOT APPLICABLE (B) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (C) NO (1) YES (B) NOT APPLICABLE (C) UNKNOWN EXTENT OF BOND SEPARATION (O) NOR (I) 1-20% (I)	(9) UNKNOWN			State
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (O) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (0) NONE (1) 1 - 20% (2) 21 - 40 (3) 61 - 80 (4) 61 - 80 (5) 81 - 90 (6) 81 - 90 (7) SEPARATED, AMOUNT (8) NOT APPLICABLE (9) UNKNOWN CONTACT APPLICABLE (9) UNKNOWN CONTACT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.				
(1) YES (9) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (0) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 90 (5) 61 - 90 (6) 81 - 90 (7) SEPARATED, AMOUNT (8) NOT APPLICABLE (9) UNKNOWN CONTACT OF MORE (1) YES (1) NOT APPLICABLE (1) NO (1) YES (1) NO (1) YES (1) NOT APPLICABLE (1) NO (1) YES (1) NOT APPLICABLE (NOT A T-ROOF OPEN DURING COLLISION? (1) NO (1) YES (1) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (1) YES (NOT A T-ROOF OR SUN ROOF) (2) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	,	$\Box \mathcal{O}$		
(e) NOT APPLICABLE (g) UNKNOWN CRACKED OR BROKEN BY OCCUPANT CONTACT (o) NO (1) YES (e) NOT APPLICABLE (g) UNKNOWN EXTENT OF BOND SEPARATION (o) NONE (1) 1-20% (2) 21-40 (3) 41-60 (4) 61-80 (5) 81-99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (a) NOT APPLICABLE (b) UNKNOWN (b) NOT APPLICABLE (c) NO NO (c) NO (d) NO (d) NO (d) NO (e) NOT APPLICABLE (e) UNKNOWN (e) NOT APPLICABLE (f) NOT		71		
CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (0) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTA (9) UNKNOWN EXPARATED, AMOUNT UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	(8) NOT APPLICABLE		·	
BY OCCUPANT CONTACT (0) NO (1) YES (3) NOT APPLICABLE (9) UNKNOWN (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN (1) YES (1) NOT APPLICABLE (9) UNKNOWN (1) YES (1) NOT APPLICABLE (1) YES (2) UNKNOWN (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN (9) UNKNOWN (1) YES (10) NO (1) YES (10) NO (1) YES (10) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN (1) YES (10) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (1) YES (10) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (1) YES (NOT A T-ROOF OR SUN ROOF) (1) YES (1) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (1) YES (1) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (1) YES (1) YES (1) YES (2) YES (2) YES (3) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (3) UNKNOWN (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) YES (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN (1) YES (1) YES (1) YES (1) YES (2) YES (2) YES (3) YES (4) YES (4) YES (5) YES (6) YOT APPLICABLE (7) DID T-ROOF/SUN ROOF OPEN (9) UNKNOWN (1) YES (2) YES (2) YES (2) YES (3) YES (4) YES (4) YES (5) YES (6) YES (7) YES (7) YES (7) YES (8)	(9) UNKNOWN			
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (0) NONE (1) 1-20% (2) 21-40 (3) 41-60 (4) 61-80 (5) 81-99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	CRACKED OR BROKEN			
(8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (1) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL UNKNOWN (2) NOT APPLICABLE (3) UNKNOWN (3) NOT APPLICABLE (4) 01 - 80 (5) 81 - 99 (6) TOTAL UNKNOWN (3) NOT APPLICABLE (4) 01 - 80 (5) 81 - 90 (6) NO (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN (1) YES (9) UNKNOWN (1) YES (1) YES (1) YES (1) YES (1) YES (2) YES (2) YES (3) YES (4) YES (4) YES (5) YES (6) YES (7) YES (8) NOT APPLICABLE (9) UNKNOWN (1) YES (8) NOT APPLICABLE (9) UNKNOWN (1) YES (2) YES (2) YES (3) YES (4) YES (4) YES (5) YES (6) YES (7) YES				
(8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION (1) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL UNKNOWN (2) NOT APPLICABLE (3) UNKNOWN (3) NOT APPLICABLE (4) 01 - 80 (5) 81 - 99 (6) TOTAL UNKNOWN (3) NOT APPLICABLE (4) 01 - 80 (5) 81 - 90 (6) NO (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN (1) YES (9) UNKNOWN (1) YES (1) YES (1) YES (1) YES (1) YES (2) YES (2) YES (3) YES (4) YES (4) YES (5) YES (6) YES (7) YES (8) NOT APPLICABLE (9) UNKNOWN (1) YES (8) NOT APPLICABLE (9) UNKNOWN (1) YES (2) YES (2) YES (3) YES (4) YES (4) YES (5) YES (6) YES (7) YES	(0) NO (1) YES	77		1
EXTENT OF BOND SEPARATION (i) NONE (i) 1 - 20% (ii) 1 - 20% (iii) 41 - 80 (iii) 61 - 80 (iii) 73 SEPARATED, AMOUNT UNKNOWN (ii) NOT APPLICABLE (iii) UNKNOWN (iii) NOT APPLICABLE (iii) UNKNOWN (iii) NOT APPLICABLE (iii) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	(8) NOT APPLICABLE		WINDSHIELD CODE	0 -
(99) UNKNOWN (1) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	(9) UNKNOWN			19/
(2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	EXTENT OF BOND SEPARATION		(98) NOT APPLICABLE (NO WINDSHIELD) (99) UNKNOWN	74 7
(2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	(0) NONE	$\downarrow \psi$		
(3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	(1) 1 - 20% (2) 21 - 40	73	Roof	
(6) 10 NO (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN (9) UNKNOWN (9) UNKNOWN (1) YES (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	(3) 41 - 60		DID T-ROOF/SUN ROOF OPEN	
(8) NOT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.	(5) 81 - 99		DURING COLLISION?	
(8) NOT APPLICABLE (9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.				4
(9) UNKNOWN LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.			(8) NOT APPLICABLE	76
62 65	& HORIZONTAL) ON THIS DIAGE	RAM OF THE	WINDSHIELD AS VIEWED FROM INSIDE.	ı
62 65	·			
R	<u>62</u>	6	<u>5</u>	<u>6</u> 2

Duplicate columns 1-8 Module S C Format from the previous card. 9 10	0 1	STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION 'AT TIME OF COLLISION	:
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u></u>	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1 2 O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4	(NORMAL STRAIGHT AMEAD) OTCLOCK - 12	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	15	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA. 70-74 CHALLENGER. 70-74 CAPPIL 71-77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 79 - HORIZON, 79 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	16	(0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u></u>	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	18	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 2

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN		STEERING WHEEL (CONTINUED)	
ENERGY ABSORBING DEVICE		_	
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG	$Q_{\overline{33}}$
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:			
COMPRESSED LENGTH (mm)			
D:			
BRACKET DEFLECTION (1F CODE 36, 48, OR 49 ABOVE) OR			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 25 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			-
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
RT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8		
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	<u>a</u> ,		
COLUMN LATERAL ROTATION			
 (0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN 	<u>x</u>		

					Intro	usion IT-1
Location of Intrusion	of	Intruded	Component	Comparis Value	(All Measurements Are in Centimeters) on Intruded - Value = Intrusion	Dominant Crush Direction
					_ =	
			<u> </u>			
		N ₀	one		- =	
		appa	<u>cent</u>		- =	<u> </u>
					_ =	
					- =	
					_ =	
					_ =	
- 						
					- =	
					- =	
				CCUPANT C	ONTACT WORKSHEET	
	Ī	·		1		Confidence
Contact	Co	Interior omponent ontacted	Occupant No. if Known	Body Region if Known	Supporting Physical Evidence	Level of Contact Point
Α	Si	de of	l	Knee	Scuff mark Scuff mark	a
В		iee bolster	1	Knee	Scuff mark	2
С	mid I.P.		Itand	Scuff mark	2	
D			Knee	Scuff mark	l	
E			Chest Via	Palpuble Dont Scuff mark	3	
F	Mi	d I.P.	a	Hand	Scuff mark	a
G						
Н						
l						
J						



INTRUSION IT-3

CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.


(1)	LEFT	(3)	RIGHT	•••••		INDIVIDUAL SEAT
(1)	LEFT	(2)	CENTER	(3)	RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1)	LEFT	(2)	LEFT CENTER		RIGHT (3) RIGHT	BENCH: FULL WIDTH 4 PASSENGER
(1)	LEFT	(2)	CENTER	(5)	RIGHT &	BENCH: PARTIAL WIDTH, LEFT
(0)	LEFT & SPACE	(2)	CENTER	(5)	RIGHT &SPACE	BENCH: PARTIAL WIDTH, CENTERED

(4) ENTIRE VEHICLE WIDTH CARGO AREA


EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.





VAN 12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

INTRUSION IT-4

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: <u>DO NOT</u> CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

USE ONLY IF <u>ALL</u> THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50)WINDSHIELD HEADER A-PILLAR
 - ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL A-PILLAR WINDSHIELD HEADER
- (53)DOOR PANEL B-PILLAR ROOF RAIL
- (54)DOOR PANEL A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR DOOR FRAME
- (56)ROOF RAIL
 A-PILLAR
 B-PILLAR
 WINDOW FRAME
- (57)ROOF RAIL A-PILLAR B-PILLAR C-PILLAR DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF C-PILLAR THIRD SEAT-BACK

- (60) ROOF
 ROOF RAIL
 A-PILLAR
 B-PILLAR
 C-PILLAR
 WINDOW FRAME
 DOOR PANEL
 FLOOR PAN
- (61)INSTRUMENT PANEL
 TOE PAN
 WINDSHIELD HEADER
 A-PILLAR
 ROOF RAIL
 WINDOW FRAME
 DOOR PANEL
 ROOF
- (62)ROOF
 ROOF RAIL
 C-PILLAR
 WINDOW FRAME
 FLOOR PAN
 SECOND SEAT
 DOOR PANEL
- (63)ROOF RAIL
 ROOF
 B-PILLAR
 WINDOW FRAME
 FLOOR PAN
 DOOR PANEL
 SECOND SEAT
 FRONT SEAT
- (64)ROOF RAIL
 ROOF OR CONVERTIBLE TOP
 A-PILLAR
 B-PILLAR
 WINDOW FRAME
 WINDOW HEADER
- (65)WINDSHIELD
 WINDSHIELD HEADER
 ROOF SIDE RAIL
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 Module 1 from the previous card.	T Format 0 11	1 12			INTE	RUSION	IT-5	
WAS THERE OCCUPANT COMPARTMENT INTRUSION? (1) NO DO NOT ANSWER NEXT QUESTION. SKIP PAGE. (1) YES ANSWER NEXT QUESTION. (2) UNKNOWN SKIP PAGE. (3) WAS INTRUSION CATASTROPHIC? (4) NO COMPLETE PAGE. (5) NO COMPLETE PAGE. (1) YES SKIP PAGE.								
Duplicate columns 1-8 Module I T Format 0 2 from the previous card. 9 10 11 12 NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.								
INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY								
A B C INTRUDING A INTRUSION OCC. COMPONENT E NUMBER SPACE NO. OR OBJECT		INTRUSION II	G MAXIMUM NTRUSION Z AXIS (cm)	H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER	
13-14 15-16 17-18	19 20-21	22-23	24-25	26-27	28-29	30-31	32-33	
01								
02								
03								
04								
05								
<u> </u>				. 		— —		
0 7 NOTE: USE ADDITIONAL PAGE IF MORE THA	N 7 INTRUSIONS.							
Duplicate columns 1-8 Module _ from the previous card.								
NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM	IF DAN DOOR INTRUS NUMBE	RINTRUSION D	DOOR COON, CODE	DAMA COMPONE	ENT GED	D IN INCR	EASED	
INTRUSION NUMBER CAUSE CODES FOR CAUSE:	A	.n 001			_	FOR COMPON (0) NONE (1) A-PILLAR	IENTS	
13 15 (1) DIRECT IMPACT 16 18 (2) INDUCED DAMAGE 19 21 (9) UNKNOWN	B 26 27 C 30 31 D 34 35	-	_ _ _	3:	-	(2) B-PILLAR (3) C-PILLAR (4) LATCH/STI (5) HINGES (7) OTHER: (8) NOT APPL (9) UNKNOWN	 UCABLE	

Duplicate columns 1-8 from the previous card.

Module <u>| T</u> Format <u>0</u> <u>2</u> 9 10 11 12 INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

- ADDITIONAL PAGE -

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY

A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT	D ASSOC. EVENT NO.	E MAXIMUM INTRUSION X AXIS (cm)	F MAXIMUM INTRUSION Y AXIS (cm)		H OCCÜPANT NUMBER	INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
<u>0 8</u>										
09										
10			_							
11										
12.										
13			_							
1 4			_							
15										
16										
17										
1 8			_							
19			_							
20										
21			· —							
22										
23										
24			_							
2 5										

^{*} MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 Module S T from the previous card. 9 10		2 12	SEATS	;	ST-1
FRONT SEAT TYPE OF FRONT SEAT	DRIVER	PASSENR	FRONT SEAT-BACK	DRIVER	PASSEN
(00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE	<u>Ø</u> <u>5</u>	<u> </u>	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	30	31
(97) OTHER: (99) UNKNOWN TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	19	$\left \frac{\mathcal{O}}{z} \right $	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21	22	RECLINER MECHANISM HELD (0) NO (1) YES	36	37
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	$\frac{\mathcal{S}}{23}$	8 24	(8) NOT APPLICABLE (9) UNKNOWN		
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	Ø _{zs}	<u>∞</u>	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	38	39
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	27	3	(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>Ø</u>	<u>Ø</u> 2
FRONT SEAT ROTATION (0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	<u>Q</u>	<u>xa</u>	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	2 2 2	∠ 43 Ø 45

			Si	EATS	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSENT	SECOND SEAT (CONT.)	•	
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN ADJUSTMENT PROVIDED (1) 2-WAY	2 46	47	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED		8
(2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	49	SECOND SEAT-BACK LOCKS	LEFT	Right
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	<u>Ø</u> ₅so	51	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN LEFT OR CENTER, EQUIPPED	8	Ŕ
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	<u>S</u>	<u>&</u> 53	LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED		00 2 3 30 8 50
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	3/54	2 55	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	<u>8</u> 67	8
SECOND SEAT TYPE OF SECOND SEAT	LEFT	Rіgнт	EQUIPPED BACKREST DAMAGED		\(\frac{\sigma_{70}}{\sigma_{70}} \)
 (0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT 	⊘ <u>₅</u> <u>₅</u>	$\left \frac{\mathcal{O}}{\frac{57}{57}} \right $	CUSHION DAMAGED	8 73	8 72 74
(6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	8 - se	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position		P 25

Duplicate columns 1-8 from the previous card. Module A B Format 0 11	12	AIRBAG	AB-1
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED DEPLOYED (0) NO (1) YES (2) PARTIALIMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	16
CONDITION OF AIRBAG STEERING WHEEL (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE INIT EQUIPPED OR CONDITION OR CONDITION	<u></u>	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	18
DRIVER SIDE AIRBAG STEERING WHEEL TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	19	PASSENGER SIDE AIRBAG INSTRUMENT PANEL (GLOVE BOX) TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	21
MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u>Q</u>	MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	<u></u>

	AIRBAG	AB-2
AIRBAG NUMBER ON DRIVER SIDE:		
-		
NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:		
None x		
None Apparent		
AIRBAG NUMBER ON PASSENGER SIDE:		
NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:		
None Parent		

NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,

OCCUPANT INFORMATION AND INJURY CLASSIFICATION,

ARE TO BE FILLED IN

FOR EACH CASE VEHICLE OCCUPANT,

WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


OCCUPANT INFORMATION OC-1 Module O C Format 0 2 Duplicate columns 1-8 from the previous card. 10 PHYSICAL DESCRIPTION OCCUPANT IDENTIFICATION **OCCUPANT NUMBER** AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER ROLE OF OCCUPANT AT 1ST IMPACT (99) UNKNOWN (1) MOTOR VEHICLE DRIVER AGE IN MONTHS (00) LESS THAN 1 MONTH (2) MOTOR VEHICLE PASSENGER (25) 25 MONTHS OR OLDER (NOT DRIVER) (99) UNKNOWN (9) UNKNOWN MASS (kg) OCCUPANT POSITION (999) UNKNOWN **ROW LOCATION** HEIGHT (cm) (999) UNKNOWN (1) FRONT 28 16 (2) SECOND (3) THIRD SEX (4) FOURTH (1) MALE (7) OTHER: (2) FEMALE (8) EXTERNAL TO PASSENGER (9) UNKNOWN COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN MEDICAL CONDITIONS LATERAL LOCATION TREATMENT/MORTALITY (00) NONE (1) LEFT (2) LEFT CENTER (01) FIRST AID AT SCENE 17 (02) TREATED AT HOSPITAL/CLINIC (3) CENTER (4) RIGHT CENTER **BUT NOT ADMITTED** (03) HOSPITALIZED FOR OBSERVATION (5) RIGHT (6) ALL (LYING ON SEAT) **LESS THAN 24 HOURS** (8) EXTERNAL TO PASSENGER (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT COMPARTMENT (05) FATAL, DEAD AT SCENE (9) UNKNOWN (06) FATAL, DOA (07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO **POSTURE** 31 DAYS LATER (10) SITTING ON SEAT (09) FATAL, DEAD 31 DAYS TO (11) SITTING ON SEAT IN ABNORMAL 1 YEAR LATER POSITION (E.G. FEET ON DASH. (10) FATAL DEAD WITHIN UNKNOWN SIDEWAYS) **PERIOD** (12) SITTING ON CONSOLE (99) UNKNOWN (20) ON LAP OR IN ARMS (30) STANDING ON SEAT INJURY SEVERITY SCORE (ISS) (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO (99) UNKNOWN PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT NON-IMPACT MED. CONDITIONS (65) IN CHILD HARNESS (0) NONE (1) YES, TIME & TYPE UNKNOWN (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER (2) PRE-CRASH FATAL (CLINICAL **FLOOR DEATH AT WHEEL)** (83) LYING/SITTING ON OTHER (3) PRE-CRASH NON-FATAL (E.G. **OBJECT IN PASSENGER** PRIOR INJURY, STROKE) COMPARTMENT: (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (85) ON CARGO FLOOR/FOLDED (6) POST-CRASH NON-FATAL INJURY SEAT-BACK (87) LYING/SITTING, EXTERNAL TO (7) OTHER: COMBINATION OF ABOVE PASSENGER COMPARTMENT (97) OTHER: (CIRCLE EACH) (9) UNKNOWN (99) UNKNOWN

		OCCUPANT INFORMATION	OC-2
MEDICAL CONDITIONS (CONT.)		CHILD SEAT TYPE	1
POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	36	(00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	8/2
RESTRAINT SYSTEM			
(0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY	3 3	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE	Q. 98
(2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO	38	(02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	44 45
WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN	39	IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW:	-
(0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	<u>ک</u> اء	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46

OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (B) NOT APPLICABLE (9) UNKNOWN OCCUPANT INFORMATION OC-3 SOURCE OF INFORMATION (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN

		OCCUPANT INFORMATION OC-4
INDIC	CATE LOCATION OF INJURI	ES.
	-	
		•
		• .

Indicate location of injuries, including major bruises.



Duplicate columns 1-8 from the previous card.

Module 1 C Format 0 1 12

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

OCCUBANT	MILLEY	CLASSIFICATION
UCCUPANI	ז מטעווו	OLASSITICA HON

			-			PRIM	IARY (OIC		A	SSOC	IATE	OIC		COMMENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAE START V IN 1ST C	BILITY (HORI NITH MOST CONTACT AF	N ORDER OF . IZONTALLY) . PROBABLE REA COLUMN.	BODY REGION 1	ASPECT N	LESION 3	SYSTEMORGAN 4	SEVERITY 10	BODY REGION 1	ASPECT N	LESION 3	SYSTEMORGAN &	SEVERITY W	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
DL	<u>Ø1</u>	87			E	<u>C</u>	A	I	1	_	_			_	
1	<u>@2</u>	87			E	L	Ā	I	1	_	_		_	_	
	Q 3	87			F	R	A	I	1			_			
	24	87					A		1	_	_			_	
					_	_		_		_			_	_	
					_	_	_			_	_			_	
					_	_	_	_	_	_		_	_	_	
6					_	_	_	_		_		_	_	_	
"Occupant Number" for each line.						_	_		_	_	_		_	_	
ımber" fo					-		_	_	_	_	_			_	. -
cupant N					_	_	_	_	_		_	-	_	_	
_					_		_			_	_	_		-	
Duplicate					-		_	_		_	_			-	
					_	_	_	_	_		_			-	
					-	_	_	_	_	_				_	
					-	_	_	_	_	_	_		_		
					-		_	_	_	_	_	_	_	-	
					-	_		_	_	_	_	_	_	-	

INJURY CLASSIFICATION IC-2

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

_	_	_	
FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	WINDSHIELD	(19)	HARDWARE ON SIDE OR DOOR
		(13)	ARMREST ON SIDE OR DOOR
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	COAT HOOK
(54)	UPPER INSTRUMENT PANEL (X)	` •	
(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW GLASS (SIDE)
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	
(81)	ASH TRAY (INSTRUMENT PANEL)	(21)	WINDOW FROMES (OIDE)
(02)	GLOVE COMPARTMENT AREA	/OE	DOOF CIDE DAIL
		(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	, ,	A-PILLAR
		, -,	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL	(16)	C-PILLAR
(53)	PARCEL TRAY	(17)	D-PILL'AR
(48)	KNEE RESTRAINT		
(86)	VERTICAL CONSOLE	FLOOR	
		(40)	FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	CONSOLE ON FLOOR OR BETWEEN SEATS
, ,	,	(44)	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	` '	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL		
(66)	STEERING WHEEL COLUMN		FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
		(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN	D	
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	ROOF SIDE RAIL
(84)	PARKING BRAKE HANDLE IN FRONT	(24)	COAT HOOK
(67)	IGNITION KEY		DOME LIGHT
(06)	MIRROR	(39)	BACKLIGHT HEADER
(04) -	HEATER OR AIR CONDITIONING DUCTS	(68)	
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	, ,	
(08)	•	(69)	ROLL BAR
,	RADIO (BUILT IN)	-	D. D
(58)	ADD-ON TAPE DECK, RADIO, A/C		OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)	REAR WINDOW		OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
, ,		(64)	TIRES OF CASE VEHICLE
INTERIOR	R-GENERAL	(04)	THICS OF GASE VEHICLE
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	REVOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN		
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE		AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
		(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT		OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
		(75)	TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT		WATER
(89)	UNDER SEAT BOTTOM	(79)	· · · · · · · · · · · · · · · · · · ·
(03)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
(00)			OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE	a	_
(34)	RESTRAINT SYSTEM WEBBING	PENETRA	ATING OBJECTS
(87)	AIR CUSHION SKIN (AIRBAG)	(61)	OTHER VEHICLE
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(72)	OBJECTS (DESCRIBE)
(46)	AIRBAG GAS		·
(48)	KNEE RESTRAINT	MISCELL	ANEOUS
(30)	HEAD RESTRAINT		NO CONTACT (INVALID FIELD FORM CODE)
(42)	CHILD SEAT RESTRAINTS	· (38)	
	CHILD SEAT	1/	SPARE TIRE
	INTERIOR LOOSE OBJECT		
	OTHER OCCUPANT(S)	, ,	INDUCED
(52) (52)	· · ·	1	EJECTED, UNKNOWN CONTACT
	INTERNAL FLYING GLASS (FROM ANY SOURCE) UNKNOWN INTERIOR SURFACE	(98)	IMPACT FORCE, "WHIPLASH",
144 17			HYBERT TENCHMITTANDECCITAL

(99) UNKNOWN AREA OF CONTACT

INJURY CLASSIFICATION IC-3 THE FIGURE BELOW IS AN EXPLANATION OF THE <u>BODY REGION</u> CODES LISTED ON PAGE IC - 4. __(H) HEAD (F) FACE - (N) NECK -(S) SHOULDER . (BS) THORACIC SPINE (C) CHEST (A) UPPER ARM (E) ELBOW (R) FOREARM (W) WRIST (W) HAND (BI) LUMBAR SPINE (M) ABDOMEN (P) PELVIS THIGH (K) KNEE-(L) LOWER LEG (Q) ANKLE (Q) FOOT-

INJURY CLASSIFICATION IC-4

CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

7 BODY REGION	1
---------------	---

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEMORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOHNS
- (D) 6 * TVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SEVERITY 55 SYSTEM/ORGAN 4 LESION 55 ASPECT 54 BODY REGION 5

5 SEVERITY (OR *AIS*, ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (3) Chillon
- (6) MAXIMUM
- (9) UNKNOWN

Duplicate columns 1-8 from the previous card. Module O C Format 0 11	OCCUPANT INFORMATION (OC-′
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	\frac{4}{20}
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	MASS (kg) (999) UNKNOWN HEIGHT (cm) (999) UNKNOWN SEX (1) MALE (2) FEMALE (9) UNKNOWN	$ \begin{array}{c c} Q & 9 \\ \hline 24 & 25 \\ \hline 1 & 7 \\ \hline 27 & 28 \\ \hline 30 \end{array} $
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DOA	<u></u>
POSTURE (10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET	(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN	<u>Ø</u> !
(60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN	NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	35

		Occupant Information	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	$Q_{\overline{x}}$	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	8 8
RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIR BAG INSTALLED (2) PASSIVE UPPER TORSO WITH KINEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIR BAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIR BAG NOT DEPLOYED	3 33 33 33	EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, RIGHT SIDE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	2 3 4 45
(2) AIR BAG DEPLOYED (3) AIR BAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	40	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	146

OCCUPANT INFORMATION OC-3

OCCUPANT EYEWEAR

- (0) NONE (1) GLASSES (2) CONTACTS
- (3) BOTH GLASSES AND CONTACTS
 (4) OTHER
 (8) NOT APPLICABLE
 (9) UNKNOWN




SOURCE OF INFORMATION

- (0) INTERVIEW
- (1) HOSPITAL (2) AUTOSPY
- (3) POLICE (4) OTHER
- (7) COMBINATION OF ABOVE (CIRCLE)
- (8) NOT APPLICABLE (9) UNKNOWN



		OCCUPANT INFORMATION OC-4
	INDICATE LOCATION OF INJUR	RIES.
•		
	·	
•		
<u></u>		

Indicate location of injuries, including major bruises.



INJURY CLASSIFICATION IC-1

Duplicate columns 1-8 from the previous card.

Module | C Format 0 1

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

00	OCCUPANT INJURY CLASSIFICATION															
L						PRI	MARY	OIC		/	ASSO	CIATE	COMMEN	TS		
OCCUPANT NUMBER	INJURY NUMBER	PROBA START IN 1ST	BILITY (HO WITH MOS CONTACT A	S IN ORDER OF RIZONTALLY) . T PROBABLE AREA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT N	LESION 3	SYSTEMORGAN &	SEVERITY 15	BODY REGION 1	ASPECT O	LESION 3	SYSTEMORGAN &	SEVERITY US	·	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30		
02	01	87	34		M	I	A	Ī	1	_	_	_		_		
	<u>@3</u>	87	34		M	I	<u>C</u>	$\bar{\mathbb{I}}$	1					_		
	03	87			T	L	A	I	1	_	_	_		_		
	04	87			T	F	<u>C</u>	I	1	_		_	_	_		
	<u>05</u>	87			T	R	A	I	1			_		_		
	<u>Ø6</u>	87			<u>T</u>	R	<u>C</u>	I	1		_		_	_	•	
						_	_		_				_	-		
نه ا	· 				_	_			-		_			-		
each lin				·		_				_		_	_	-		
mber for					_			_	_			_	_	_		
Occupant Number' for each line.						_	_	_	-	_				-		
	<u> </u>				_				-				_	-		
- Duplicate				·			_		-			_	_	-		
					_		_		-	_						
					_		_	_	-	_				-		
					_			_	-				_	-		
					_	_			-					-		
							_				_			-		_
NOTE:	NOTE: USE ADDITIONAL PAGES IF NECESSARY.															

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10	SUNVISOR, FITTING(S) &/OR TOP MOLDING	- (20) SURFACE OF SIDE INTERIOR
(12	· · · · · · · · · · · · · · · · · · ·	(19	
,		(13	
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	
(54)	,	(64)	, contribut
	· · · · · · · · · · · · · · · · · · ·	(00)	MUNICOW CLASS (SIDE)
(55)	• •	(22)	• • • •
(56)	• •	(21)	WINDOW FRAMES (SIDE)
(81)	ASH TRAY (INSTRUMENT PANEL)		
(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
(, ,			B-PILLAR
/ 0	BENEATH INSTRUMENT PANEL	• • •	
(57)			C-PILLAR .
(53)		(17)	D-PILLAR
(48)	KNEE RESTRAINT		•
(86)	VERTICAL CONSOLE	FLOOR	
		(40)	FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	
(20)	1001 001111000 (MOL. 1 AURING BIDAL)	• •	
		(44)	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN	• •	
(55)		Roof	
(00)	LIADDINADE ITEM (ODEOLEIO ADEA LINICAIONA)		ROOF OR CONVERTIBLE TOP
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	
(82)	INSTRUMENT(S)	(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	ROOF SIDE RAIL
(84)	PARKING BRAKE HANDLE IN FRONT	(24)	COAT HOOK
		, ,	DOME LIGHT
(67)	IGNITION KEY	(18)	
(06)	MIRROR	(39)	BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)	• •	•
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	R SURFACE OF CASE VEHICLE
	ROOF MOUNTED CONTROLS/CONSOLES		OUTSIDE SURFACE OF CASE VEHICLE
(68)	HOOF MODITED CONTROLS/CONSOLES	(37)	
_			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
,	REAR WINDOW	` '	OUTSIDE MIRRORS, ANTENNA, TRIM)
	REAR WINDOW HEADER	(62) .	
		• •	
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
		(64)	TIRES OF CASE VEHICLE
NTERIOR	-GENERAL		
	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	REVOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN	• •	AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
	PARKING BRAKE HANDLE IN FRONT	V .7	OUTSIDE MIRRORS, ANTENNA, TRIM)
(84)		(20)	
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
, .,	•	(75)	TRUNK OF OTHER VEHICLE
(00)	FRONT CEAT BACK/CI	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)		
(- ·)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
• •			OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE		
,,	RESTRAINT SYSTEM WEBBING	PENETRAT	TING OBJECTS
			OTHER VEHICLE
	AIR CUSHION SKIN (AIRBAG)		
	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(72)	OBJECTS (DESCRIBE)
·	AIRBAG GAS		
- (48)	KNEE RESTRAINT	MISCELLA	
, ,	HEAD RESTRAINT	(00)	NO CONTACT (INVALID FIELD FORM CODE)
• • •	CHILD SEAT RESTRAINTS		OTHER (E.G. FIRE. DESCRIBE)
		• •	SPARE TIRE
	CHILD SEAT	, ,	
	INTERIOR LOOSE OBJECT	• •	INDUCED
(32)	OTHER OCCUPANT(S)	(97) l	EJECTED, UNKNOWN CONTACT
	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(98)	IMPACT FORCE, "WHIPLASH",
	UNKNOWN INTERIOR SURFACE	, ,	HYPEREXTENSION/COMPRESSION
(171)	DIRECTOR INTERIOR CORE ACE		UNKNOWN AREA OF CONTACT
		(99)	DITATOTTI AREA OF CONTACT







Best Available



Available





Best Available



N 3709-98 # Best Availabl≏













Best Available









PN 3709-98 #17















3709-98 #











PN 3709-98

















CASE NO. 698-2799-64

CCUPAC (Private Adjust-old mass PATION 189 (IN 12 Till 16) STOCK 72 kg (142 in ESTROCK 3-point resisted worm, school digitaly EVERTY MINE 1 (55 - 1





CHIEF NO. USA 2750-06 CHIEF NEHICLE: 1996 Charryon COUPART (Plight hand) of year old male TATURE (Them (Emiling MASS) on kg (2005) CSTEARTS (Fight held man, arting deployed

